

# SAFETY DATA SHEET ENSURE

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	ENSURE	
Product number	A053 EV	
Internal identification	Janitorial	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Alcohol sanitiser	
1.3. Details of the supplier of the safety data sheet		
Supplier	Evans Vanodine Europe 6-9 Trinity Street, Dublin 2. D02 EY47. Republic of Ireland.	
Manufacturer	Evans Vanodine International plc Brierley Road Walton Summit Preston. UK. PR5 8AH Tel: 01772 322 200 e-mail: productcompliance@evansvanodine.co.uk	
1.4. Emergency telephone number		
Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thur 8.30am to 4.30pm - Fri 8.30am to 1.30pm. (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thu 8.30am to 4.45pm - Fri 8.30am to 1.30pm	
National emergency telephon number	<ul> <li>For Health Care Professionals only -</li> <li>For use in UK: Contact the National Poisons Information Service for further advice.</li> <li>For use in the Republic of Ireland: To report a poisoning incident contact The National</li> <li>Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166).</li> <li>For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112</li> </ul>	
SECTION 2: Hazards identified	cation	

2.1. Classification of the substance or mixture	
Classification (EC 1272/2008)	
Physical hazards	Flam. Liq. 3 - H226
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	

#### Hazard pictograms



Signal word	Warning
Hazard statements	H226 Flammable liquid and vapour.
	H319 Causes serious eye irritation.
	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	P102 Keep out of reach of children.
	P280 Wear eye protection.
	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P233 Keep container tightly closed.
	P301 IF SWALLOWED:
	P313 Get medical advice/ attention.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
	P403+P235 Store in a well-ventilated place. Keep cool.
	P501 Dispose of contents/ container in accordance with local regulations.

Contains

PROPAN-2-OL

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

3.2. Mixtures		
PROPAN-2-OL		15-20%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-xxxx
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
N-(3-AMINOPROPYL)-N-DODE DIAMINE		<0.1%
CAS number: 2372-82-9	EC number: 219-145-8	
M factor (Chronic) = 10		
Classification		
Acute Tox. 3 - H301		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT RE 2 - H373		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures		
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.	
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention if any discomfort continues.	
Skin contact	Wash with plenty of water.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	No specific symptoms known. But - May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. But prolonged or excessively repeated skin contact could lead to removal of natural oils from skin.	
Eye contact	May cause temporary eye irritation. Prolonged contact may cause redness and/or tearing.	
4.3. Indication of any immediat	e medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
Notes for the doctor SECTION 5: Firefighting meas		
SECTION 5: Firefighting meas		
SECTION 5: Firefighting meas	ures Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.	
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.	
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.  m the substance or mixture Thermal decomposition or combustion products may include the following substances:	
SECTION 5: Firefighting mease 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro Specific hazards	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.  m the substance or mixture Thermal decomposition or combustion products may include the following substances:	
SECTION 5: Firefighting mease 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro Specific hazards 5.3. Advice for firefighters Special protective equipment	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.  m the substance or mixture Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. May explode when heated or when exposed to flames or sparks. Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from Specific hazards 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental release	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.  m the substance or mixture  Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. May explode when heated or when exposed to flames or sparks.  Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from Specific hazards 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental release	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.  m the substance or mixture Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. May explode when heated or when exposed to flames or sparks. Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures	
SECTION 5: Firefighting mease 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from Specific hazards 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental release 6.1. Personal precautions, protections	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.  m the substance or mixture Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. May explode when heated or when exposed to flames or sparks. Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.  e measures ective equipment and emergency procedures No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with eyes.	

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	ons
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and st	orage
7.1. Precautions for safe han	dling
Usage precautions	Eliminate all sources of ignition. Avoid contact with eyes.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage precautions	Keep away from heat, sparks and open flame.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	See Product Information Sheet & Label for detailed use of this product.
SECTION 8: Exposure control	ols/Personal protection
	nour TWA): WEL 400 ppm 999 mg/m³
Short-term exposure limit (15 WEL = Workplace Exposure	-minute): WEL 500 ppm 1250 mg/m³ Limit.
WEL = Workplace Exposure	
WEL = Workplace Exposure 8.2. Exposure controls	
WEL = Workplace Exposure 8.2. Exposure controls	
WEL = Workplace Exposure 8.2. Exposure controls Protective equipment Overlapping Appropriate engineering	Limit.
WEL = Workplace Exposure 8.2. Exposure controls Protective equipment Overlappeopriate engineering controls	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates
WEL = Workplace Exposure 8.2. Exposure controls Protective equipment Overlappeopriate engineering controls Eye/face protection	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. No specific hand protection noted, but protection for the skin is advisable to prevent removal
<ul> <li>WEL = Workplace Exposure</li> <li>8.2. Exposure controls</li> <li>Protective equipment</li> <li>Image: Second Se</li></ul>	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin.
WEL = Workplace Exposure          8.2. Exposure controls         Protective equipment         Image: Controls         Appropriate engineering controls         Eye/face protection         Hand protection         Other skin and body protection	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin. None required. Respiratory protection not required.
<ul> <li>WEL = Workplace Exposure</li> <li>8.2. Exposure controls</li> <li>Protective equipment</li> <li>Image: Section Section</li> <li>Protection</li> <li>Protection</li> <li>Protection</li> <li>Other skin and body protection</li> <li>Respiratory protection</li> <li>SECTION 9: Physical and ch</li> </ul>	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin. None required. Respiratory protection not required.
<ul> <li>WEL = Workplace Exposure</li> <li>8.2. Exposure controls</li> <li>Protective equipment</li> <li>Image: Section Section</li> <li>Protection</li> <li>Protection</li> <li>Other skin and body protection</li> <li>Respiratory protection</li> <li>SECTION 9: Physical and chemical section</li> </ul>	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin. None required. Respiratory protection not required. emical properties
<ul> <li>WEL = Workplace Exposure</li> <li>8.2. Exposure controls</li> <li>Protective equipment</li> <li>Image: Section</li> <li>Appropriate engineering controls</li> <li>Eye/face protection</li> <li>Hand protection</li> <li>Other skin and body protection</li> <li>Respiratory protection</li> <li>SECTION 9: Physical and chrored section</li> <li>9.1. Information on basic physical</li> </ul>	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin. None required. Respiratory protection not required. emical properties sical and chemical properties
<ul> <li>WEL = Workplace Exposure</li> <li>8.2. Exposure controls</li> <li>Protective equipment</li> <li>Image: Section Section</li> <li>Appropriate engineering controls</li> <li>Eye/face protection</li> <li>Hand protection</li> <li>Other skin and body protection</li> <li>Respiratory protection</li> <li>SECTION 9: Physical and chest of the section o</li></ul>	Limit. This product must not be handled in a confined space without adequate ventilation. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin. None required. Respiratory protection not required. emical properties sical and chemical properties Liquid.

Melting point	-5°C
Flash point	29°C
Relative density	0.972 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	
10.6. Hazardous decomposition Hazardous decomposition products	
Hazardous decomposition	on products No known hazardous decomposition products.
Hazardous decomposition products	on products No known hazardous decomposition products. formation
Hazardous decomposition products SECTION 11: Toxicological in	on products No known hazardous decomposition products. formation
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog	on products         No known hazardous decomposition products.         formation         ical effects         We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate)
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects	An products No known hazardous decomposition products. formation ical effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer. Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects Other health effects	An products No known hazardous decomposition products. formation ical effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer. Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects Other health effects SECTION 12: Ecological infor	An products No known hazardous decomposition products. formation ical effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer. Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract. mation
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects Other health effects SECTION 12: Ecological infor Ecotoxicity	An products No known hazardous decomposition products. formation ical effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer. Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract. mation
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects Other health effects SECTION 12: Ecological infor Ecotoxicity 12.1. Toxicity	In products No known hazardous decomposition products. formation ical effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer. Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract. mation Harmful to aquatic life with long lasting effects. We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
Hazardous decomposition products         SECTION 11: Toxicological in 11.1. Information on toxicolog         Toxicological effects         Other health effects         SECTION 12: Ecological infor         Ecotoxicity         12.1. Toxicity         Toxicoity         12.2. Persistence and degradate	In products No known hazardous decomposition products. formation ical effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer. Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract. mation Harmful to aquatic life with long lasting effects. We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
Hazardous decomposition products         SECTION 11: Toxicological in 11.1. Information on toxicolog         Toxicological effects         Other health effects         SECTION 12: Ecological infor         Ecotoxicity         12.1. Toxicity         Toxicoity         12.2. Persistence and degradate	An products No known hazardous decomposition products. formation tical effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer. Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract. mation Harmful to aquatic life with long lasting effects. We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request. ability This product, at use dilutions, is readily broken down in biological effluent treatment plants.

#### 12.4. Mobility in soil

12.4. MODILITY IN SOIL	
Mobility	Not known.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	<u>S</u>
Disposal methods	Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport inform	nation
Road transport notes	750ml & 5L As supplied, this product is consigned under the Limited Quantities provisions.
14.1. UN number	
UN No. (ADR/RID)	1987
UN No. (IMDG)	1987
UN No. (ICAO)	1987
14.2. UN proper shipping name	9
Proper shipping name (ADR/RID)	ALCOHOLS, N.O.S. (isopropanol)
Proper shipping name (IMDG)	ALCOHOLS, N.O.S. (isopropanol)
Proper shipping name (ICAO)	ALCOHOLS, N.O.S. (isopropanol)
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	Class 3: Flammable liquids.
ADR/RID label	3
IMDG class	Class 3: Flammable liquids.
ICAO class/division	Class 3: Flammable liquids.
Transport labels	
14.4. Packing group	
ADR/RID packing group	III
IMDG packing group	III

14.5. Environmental hazards

Ш

ICAO packing group

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

F-E, S-D

Transport in bulk according to Not relevant. for a packaged product. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006).
	The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</li> <li>GHS: Globally Harmonized System.</li> </ul>
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Skin Corr. = Skin corrosion STOT RE = Specific target organ toxicity-repeated exposure STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Addition of national emergency telephone number.

Revision date	22/12/2020
Revision	4
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H226 Flammable liquid and vapour.</li> <li>H301 Toxic if swallowed.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>