



Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

1.1 Identification of product: Insette Natural Furniture Polish

UFI Numbers: WU00-DOKF-X002-POJ5

1.2. Relevant identified use of the substance or mixture and uses advised against

Use and substance / mixture: Furniture polish 500ml

1.3. Details of the supplier of the safety data sheet

Company name: L.E.C. (L`pool) Ltd.,
Alfred Street,
Wavertree,
Liverpool,
L15 4LH
Tel: +44 (0)151 734 1411
Email: steve@insette.com

1.4. Emergency telephone number

Emergency tel: +44(0)151 734 1411

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP:	Danger extremely flammable aerosol
Most important adverse effects:	Extremely flammable May cause an allergic skin reaction

2.2 Label elements

Hazard statements: H222: Danger: extremely flammable aerosol.
H317 May cause an allergic skin reaction

Signal words: Danger

Hazard pictograms: GHS02: Flame



Hazard Statements: H222 Extremely flammable aerosol
H229 Pressurised container. May burst if heated.
H317 May cause an allergic skin reaction

Precautionary statements: P102: Keep out of reach of children.
P211: Do not spray on an open flame or other ignition source.
P251: Pressurized container: Do not pierce or burn, even after use.
P371+P380+P375: In case of major fire and large quantities:
Evacuate area, Fight fire remotely due to risk of explosion.
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C.

2.3. Other hazards

Heating may cause an explosion which may cause a fire. Risk of explosion if heated.

Section 3:

Composition/information on ingredients

3.2 Mixtures

Hazardous ingredient:

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Ingredient	EINECS	CAS	Reach number	CLP Classification	Percent
Sodium Nitrite	231-555-9	7632-00-0	01-2119471836-27	H272, H301, H400 O;R8 T;R25 N;R50	0.0 -1.0%
Parfum (Fragrance)	n/a	n/a	Exempt	H315, H317, H319, H361, H411	0.1 - 1.0%
PETROLEUM GASES, LIQUIFIED	270-704-2	68476-85-7	Exempt	H220; H280 Flammable Gas, Category 1	10-25%
White Spirit	919-446-0	64742-82-1	01-2119458049-33	Flam. Liq. 3 - H226	10-25%

Section 4:

First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the effected skin with running water for 10 minutes if substance is still on skin.

Eye contact: Bathe the eye with running water for about 15 minutes. If symptoms persist seek medical advice.

Ingestion: Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. If symptoms persist seek medical advice.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. If symptoms persist seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

General Information: The severity of the symptoms described will vary dependant on the concentration and length of exposure.

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Skin contact: Prolonged contact may cause irritation and redness at the site of contact.

Eye contact: May cause irritation and redness.

Ingestion: No specific symptoms known, but may cause discomfort if swallowed.

Inhalation: In high concentration may cause breathing difficulties.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical and special attention needed.

None.

Section 5:

Fire-fighting measures

5.1. Extinguishing media.

Extinguishing media: Use water spray to cool containers.

Carbon dioxide.

Dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Fight fire remotely due to possible exploding aerosol containers.

Section 6

Accidental release measures

6.1. Personal precaution, protective equipment and emergency procedures.

Personal precaution: Wear protective clothing, gloves eye and face protection. Eliminate all sources of ignition. Evacuate the area immediately.

Insette

LEC (L'POOL) LIMITED

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Method and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Dispose of according to the Local Authority Regulations.

6.4. Reference to other sections: None.

Section 7:

Handling and storage

7.1. Precaution for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden.

Pressurised container: Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep out of direct sunlight.

Suitable packaging: As supplied aerosol containers.

7.3. Specific end use(s): The identified uses for this product are detailed in section 1.2.

Section 8:

Exposure controls/personal protection

8.1. Control parameters

Hazard ingredients:

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

Workplace exposure limits:

PETROLEUM GASES LIQUIFIED		
Location	8 hour TWA	15 min. STEL
UK	1750mg/m ³	2180mg/m ³

Sodium Nitrite		
Location	8 hour TWA	15 min. STEL
UK	Inhalation;; 350 mg/m ³	No data

8.2. Exposure Control

Engineering measures: Ensure there is sufficient ventilation of the area, ensure lighting and electrical equipment are not a source of ignition. The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Gas/vapour filter, type A: organic Vapours (EN141).

Hand protection: Use protective gloves to specification EN1149-5 compliant.

Eye protection: Tightly fitting safety goggles.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

Section 9:

Physical and chemical properties

9.1. Physical and chemical properties

Physical State	Aerosol
Appearance(Aerosol)	Spray Mist
Odour	Characteristic of fragrance
Ph	6.0 -7.0
Melting Point/Freezing Point	No data available

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Boiling Point/Range	N/A (Aerosol)
Flash Point	-40°C
Evaporation Rate	No data available
Flammability (Solid, Gas)	No data available
Upper/Lower Flammability	No data available
Vapour Pressure	4.0 bar @20°C
Specific Gravity	0.77 – 0.78
Water Solubility	Very soluble
Solubility Other Solvents	No data available
Partition Coefficient: n-octanol/water	No data available
Auto-Ignition Temperature	No data available
Viscosity	No data available
Explosive Properties	No data available
Oxidising Properties	No data available

9.2. Other information: No data available.

Section 10:

Stability and reactivity

10.1. Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reaction: Hazardous reaction will not occur under normal transport or storage conditions.

10.4. Conditions to avoid: Temperatures exceeding 50°C. Should not be stored for long periods above 25°C.

10.5. Incompatible materials: None known.

10.6. Hazardous decomposition products: In combustion emits fumes of carbon dioxide/carbon monoxide.

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Section 11

Toxicological information

11.1. Information on toxicological effects

Symptoms/routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

Acute Toxicity;	No known effect
Skin Corrosion/Irritation;	No known effect
Serious Eye Damage/Irritation;	No known effect
Respiratory Or Skin Sensitisation;	No known effect
Germ Cell Mutagenicity;	No known effect
Carcinogenicity;	No known effect
Reproductive Toxicity;	No known effect
STOT-Single Exposure;	No known effect
STOT-Repeated Exposure;	No known effect
Aspiration Hazard;	May be fatal

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity: The ingredients in this formula have been reviewed and no adverse impact to the environment is to be expected when used according to label directions.

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Insette

LEC (L'POOL) LIMITED

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

Toxicity to fish					
Component	CAS	End Point	Species	Value	Exposure Time
White Spirit	64742-82-1	LC50	Fish	30 mg/l, Onchorhynchus mykiss (Rainbow trout)	96hours
Liquified petroleum gas	68476-85-7	LC50	Fish	Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.	

Toxicity to aquatic invertebrates				
Component	CAS	End Point	Species	Value
White Spirit	64742-82-1	EC50	No data	96hours
Liquified petroleum gas	68476-85-7		Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.	

Toxicity to aquatic plants					
Component	CAS	End Point	Species	Value	Component
White Spirit	64742-82-1	EC50	Scenedesmus subspicatus	No data	72hours

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Insette

LEC (L'POOL) LIMITED

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

Liquified petroleum gas	68476-85-7			Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.
-------------------------	------------	--	--	--

Persistence and degradability		
Component	CAS	Biodegradation
White Spirit	64742-82-1	Readily biodegradable (75% in 28 days)
Liquified petroleum gas	68476-85-7	Expected to be readily biodegradable. Oxidises rapidly by photo chemical reactions in air.

Bio accumulative Potential			
Component	CAS	Bio concentration factor (BCF)	Partition coefficient
White Spirit	64742-82-1	Substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.	
Liquified petroleum gas	68476-85-7	Not expected to bio accumulate significantly.	

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

Mobility		
Component	CAS	End point
White Spirit	64742-82-1	The product is insoluble in water.
Liquified petroleum gas	68476-85-7	Because of their extreme volatility, air is the only environmental compartment that hydrocarbon gases will be found.

PBT and vPvB assessment		
Component	CAS	Results
White Spirit	64742-82-1	This substance is not classified as PBT or vPvB according to current EU criteria.
Liquified petroleum gas	68476-85-7	The substance does not fulfil all screening criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.

Other adverse effects: None known.

Section 13:

Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of as per the Local Authority Regulations.

Section 14: Transport information

Classified as dangerous goods for carriage under road/rail/sea/air regulations. This product is packed in accordance with the Limited Quantity Provisions of CDG, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the Limited Quantities requirements of these regulations.

14.1. UN number: UN1950

14.2. UN proper shipping name: AEROSOLS

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

14.3. Transport hazard class(es): 2.1

14.4 Packing group: None allocated

14.5. Environmental hazards

Environmentally hazards: No

Marine pollutant: No

14.6. Special precautions for user: See section 8 for safe handling.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

EU legislation.

The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment: No chemical safety assessment has been carried out as not applicable as this product is a mixture.

Section 16: Other information

Other information: This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Key literature references and sources for data

Material Safety Data Sheet, miscellaneous manufacturers.

SDS status: The hazard statements listed below in this section No 16 relate to the raw materials (ingredients) in the product (as listed in section 3) and NOT the product itself. For the hazard statements relating to this product see section 2.

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Insette

LEC (L'POOL) LIMITED

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

Hazard statements in full: H222 Extremely flammable gas.
H222 Extremely flammable aerosol.
H229 Pressurised container. May burst if heated.
H226 Flammable liquid and vapour.
H272 May intensify fire; oxidiser.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H301 Toxic if swallowed, in contact with skin or if inhaled.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H410 Very toxic to aquatic life with long lasting effects.

Abbreviations & Acronyms

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland waterways

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstract Service Number

CDG: The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations

CLP: Classification Labelling & Packaging Regulation (EC No. 1272/2008)

COMAH: Control of Major Accident Hazards

DSEAR: The Dangerous Substances and Explosive Atmospheres Regulations

EH40: Workplace exposure limits -Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations

EINECS: European Inventory of Existing Commercial Chemical Substances

EN: European Standard

GHS: Global Harmonised System of Classification and Labelling of Chemicals

IMDG: International Maritime Dangerous Goods Code

OEL: Occupational Exposure Limit

PBT: Persistent Bio accumulative and Toxic

vPvB: Very Persistent and Very Bio accumulative

PPE: Personal Protective Equipment

PSSR: The Pressure Systems Safety Regulations

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154

Insette

LEC (L'POOL) LIMITED

Manufacturers of Insette Hair Care, Household & Toiletry Products

Phone: 0151 734 1411

Email: sales@insette.com Website: www.insette.com

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

RIDDOR: Reporting of Injuries, Diseases and Dangerous Occurrences Regulations

STEL: Short-Term Exposure Limit

TWA: Time-Weighted Averages

WEL: Workplace Exposure Limit

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154