

SAFETY DATA SHEET Astonish Multi-Purpose Cleaner with Bleach

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Astonish Multi-Purpose Cleaner with Bleach

Product number 194501

Internal identification F3V6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning tough stains and soils on hard surfaces around the kitchen and removing mould &

mildew stains

1.3. Details of the supplier of the safety data sheet

Supplier The London Oil Refining Company Ltd

Astonish House Unit 1 Premier Point Staithgate Lane Bradford BD6 1DW

(01274) 767440 (office hours only)

(01274) 726285

www.astonishcleaners.com

Contact person info@astonish.co.uk

Manufacturer As supplier.

1.4. Emergency telephone number

Emergency telephone (01274) 767440 (office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements EUH208 Contains Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and

Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate. May produce an allergic reaction.

Astonish Multi-Purpose Cleaner with Bleach

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash hands thoroughly after handling.

P280 Wear eye and face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

Additional Labelling None

Detergent labelling < 5% anionic surfactants, < 5% chlorine-based bleaching agents, < 5% perfumes

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

 codium hypochlorite
 <1%</th>

 CAS number: 7681-52-9
 EC number: 231-668-3
 REACH registration number: 01-2119488154-34-0000

M factor (Acute) = 10

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C; R34. N; R50. R31

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400

Sodium Carbonate <1%

CAS number: 497-19-8 EC number: 207-838-8 REACH registration number: 01-

2119485498-19-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 Xi; R36

Sodium Hydroxide <1%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-07-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C; R35

Skin Corr. 1A - H314

Astonish Multi-Purpose Cleaner with Bleach

Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate

<1%

CAS number: 143239-08-1 EC number: 410-800-5

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Sens. 1 - H317 N; R51/53. R43

Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice

if recovery not rapid.

Ingestion Drink water. If symptoms persist seek medical advice.

Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical

attention if irritation persists after washing.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Possible mild irritation of breathing passage and possible mouth irritation.

Ingestion Possible mild stomach upset and mild soreness of mouth.

Skin contact Causes skin irritation.

Eye contact Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No data available

Specific treatments

No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion. Heat may result in chlorine gas, hydrogen chloride gas

and chlorine oxides.

5.3. Advice for firefighters

Protective actions during

Wear breathing apparatus suitable for chlorine gas

firefighting

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

Astonish Multi-Purpose Cleaner with Bleach

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household

spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area

clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact

with skin and eyes. Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning hard surfaces around the home and removing mould and mildew stains.

Observe precautions in section 7.1

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

sodium hypochlorite

Short-term exposure limit (15-minute): EU ELV 0.5 ppm 1.5 mg/m³ Chlorine Short-term exposure limit (15-minute): EH40 WEL 0.5 ppm 1.5 mg/m³ Chlorine

Sodium Carbonate

Long-term exposure limit (8-hour TWA): 10 mg/m³

Sodium Hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate (CAS: 143239-08-1)

DMEL - Inhalation; Long term local effects: 10 mg/m³

8.2. Exposure controls

Environmental exposure

controls

This product does not pose a hazard in normal use when following usage instructions. Care should be taken not to inhale the spray. Take care to avoid contact with skin and eyes. Gloves

may be required for repeat or prolonged exposure.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Clear, yellowish liquid.

Colour Pale Yellow

Astonish Multi-Purpose Cleaner with Bleach

Odour Herbal with faint bleach

Odour threshold Not known.

pH (concentrated solution): 12.3 - 13.3

Melting point Not known.

Initial boiling point and range Not measured (>100°C)

Flash point Not applicable.

Evaporation rate Not known.

Evaporation factor Not known.

Flammability (solid, gas) Does not ignite.

Upper/lower flammability or

explosive limits

Does not ignite.

Other flammability Not relevant.

Vapour pressure Not determined.

Vapour density > 1 (Air=1)

Relative density 1.022 - 1.034

Bulk density Not relevant.

Soluble in water

Partition coefficientNot known.Auto-ignition temperatureNot known.Decomposition TemperatureNot available.

Viscosity Not measured

Explosive properties None

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not applicable.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Will react with acids to produce chlorine gas

10.2. Chemical stability

Stability Decomposes under normal conditions over a very long period.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Will produce chlorine when reacted with acids. Retail pack will produce such low volumes the

risk to health is considered negligible.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, Chlorine gas will be liberated upon heating

Astonish Multi-Purpose Cleaner with Bleach

10.5. Incompatible materials

Materials to avoid Avoid contact with acids, organic materials, hydrogen peroxide, metal salts, copper, nickel,

iron and ammonia and ammonium compounds - Chlorine gas will be liberated upon contact.

10.6. Hazardous decomposition products

Hazardous decomposition

Rapid and extreme decomposition may release acids of phosphorus, phosphorus oxides,

carbon oxides, hydrogen chloride, chlorine and chlorine oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This mixture has not been tested. Based on the avaliable data of the ingredients the

classification criteria are not met.

Acute toxicity - inhalation

ATE inhalation (dusts/mists

6.67

mg/l)

products

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the available data of the ingredients the

classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability Contains detergents that satisfy the bio-degradation requirements of directive 648/2004/EC.

Mixture of Tetrasodium phosphonoethane-1,2-dicarboxylate: hexasodium phosphonobutane-1,2,3,4-tetracarboxylate: not readily biodegradable. OECD method 310C: 9% biodegradation

after 28 days.

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is not expected.

Partition coefficient Not known.

12.4. Mobility in soil

Mobility The components of the mixture are readily absorbed into soil and are mobile in water

environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

No data available.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the

environment. Dispose of contaminated packaging in the same way as the product itself. Non-

contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

Astonish Multi-Purpose Cleaner with Bleach

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by

453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).

Dangerous Preparations Directive 1999/45/EC.

Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March

2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms ATE: Acute Toxicity Estimate.
used in the safety data sheet CAS: Chemical Abstracts Service.

DMEL: Derived Minimal Effect Level.

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

Revision comments Updated usage information in section 1.2 Updated section 7.

Issued by The London Oil Refining Company Ltd

Revision date 24/01/2019

Revision 3.6

Supersedes date 14/12/2017

SDS number 5046

Astonish Multi-Purpose Cleaner with Bleach

Risk phrases in full R23 Toxic by inhalation.

R31 Contact with acids liberates toxic gas.

R34 Causes burns.

R35 Causes severe burns. R36 Irritating to eyes. R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Hazard statements in full

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and

Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate. May produce an allergic reaction.