

Liquid Power Sink & Drain Unblocker Safety Data Sheet

1. Identification of the substance/ mixture and of the company/undertaking

- 1.1 Product: Liquid Power Sink & Drain Unblocker
 1.2 Use of the preparation: Cleaning & Unblocking of Sinks & Drains
 1.3 Company: MPM Consumer Products Ltd
 33 Croft Street
 Clayton
 Manchester
 M11 4RQ
 Tel: (0161)2316111 Fax: (0161)231 7100
 www.mpmconsumerproducts.com
 1.4 Emergency Telephone: (0161) 231 6111 (office hours only)

2. Hazards Identification

2.1 Classification of the substance or mixture
Classification

Physical Hazards:- Not Classified

Health Hazards:- Skin Corr. 1B - H314
 Eye Dam. 1 - H319
 EUH031

Environmental Hazards- Not classified

2.2 Label elements
 Pictogram



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage
 H318 Causes serious eye damage
 EUH031 Contact with acid liberates a toxic gas

Precautionary statements P102 Keep out of reach of children
 P280 Protective gloves/protective clothing/eye protection/face protection
 P303 + P361 + P353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do not induce vomiting.
 P310 Immediately call a POISON CENTRE or doctor/physician
 P405 Store locked up
 P501 Dispose of contents/container in accordance with local requirements for domestic waste disposal

Detergent labelling 5-15% Sodium Hypochlorite. <5% Anionic Surfactant, Non-ionic surfactant, Sodium

**Liquid Power Sink & Drain Unblocker
Safety Data Sheet**

Hydroxide

Supplemental label information

Contains Sodium Hypochlorite and Sodium Hydroxide
The solution will bleach
Do not re-use empty container

Supplementary precautionary statements

P260 Do not breathe dust/fume/gas/mist
P264 Wash hands thoroughly after handling
P363 Wash contaminated clothing before reuse.

2.3 Other hazards

This product does not contain any substances classified as PBT or vPvB

3. Composition/ Information on Ingredients

3.2 Mixtures

| | |
|---|--------------------|
| Sodium Hypochlorite, solution | 5 - <15% |
| CAS no: 7681-52-9 | |
| EC no: 231-668-3 | |
| REACH registration no: 01-2119488154-34 | |

| | |
|---------------------------------|--|
| Classification under CLP | |
| Met. Corr. 1 - H290 | |
| EUH031 | |
| Skin Corr. 1B - H314 | |
| Eye Dam 1 - H318 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 2 - H411 | |

| | |
|-------------------------|---------------------|
| Sodium hydroxide | 1 - <5.0% |
| CAS no: 310-73-2 | |
| EC no: 215-185-5 | |

| | |
|---------------------------------|--|
| Classification under CLP | |
| Met. Corr. 1 - H290 | |
| Skin Corr. 1A - H314 | |
| Eye Dam 1 - H318 | |

| | |
|---|-----------------------|
| Alcohols,C12-14,ethoxylated,sulfates, sodium salts | 0.5 – <1.0% |
| CAS no: 68891-38-3 | |
| EC no: 500-234-8 | |

| | |
|---------------------------------|--|
| Classification under CLP | |
| Eye Dam. 2 - H318 | |
| Skin Irrit. 2 - H315 | |
| Aquatic Chronic 3 – H412 | |

| | |
|--------------------------------|-------------------|
| C14 Dimethylamine Oxide | 1.0 - 5.0% |
| CAS no: 3332-27-2 | |
| EC no: 222-059-3 | |

| | |
|---------------------------------|--|
| Classification under CLP | |
| Skin Irrit. 2 – H315 | |
| Eye Dam. 1- H318 | |

Liquid Power Sink & Drain Unblocker Safety Data Sheet

Aquatic Acute 1 – H400
Aquatic Chronic 2- H411

The full text for all Hazard Statements are Displayed in section 16

4. First Aid Measures

4.1. Description of first aid measures

- Inhalation:** Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
- Ingestion:** Rinse mouth out with water and drink copious amounts of water. Do not induce vomiting. If symptoms persist seek medical advice.
- Skin contact:** Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.
- Eye contact:** Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Inhalation:** Not expected to be irritating to the respiratory system. Not volatile therefore limited inhalation exposure anticipated
- Ingestion:** May cause mild stomach upset
- Skin contact:** May cause skin irritation & sensitisation or allergic reactions in sensitive individuals
- Eye contact:** May cause severe irritation to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

5. Fire Fighting Measures

5.1. Extinguishing media

- Extinguishing media :** Use fire-extinguishing media appropriate for surrounding materials.
- Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire

5.2. Special hazards arising from the substance or mixture

- Specific hazards:** No specific firefighting precautions applicable when small quantities are involved in the fire
- Hazardous combustion products:** Thermal decomposition will evolve Chlorine. Contact with heavy metals, their compounds and alloys the product decomposes with evolution of oxygen

5.3. Advice for firefighters

Protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear breathing apparatus suitable for chlorine gas

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions: Large Spillages - Do not discharge into drains or watercourses or onto the ground.

Liquid Power Sink & Drain Unblocker Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Take care as floors and other surfaces may become slippery. Large Spillages: Absorb spillage with suitable absorbent material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections: See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and Storage

7.1. Precautions for safe handling

Usage precautions: Read and follow manufacturer's recommendations on label. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.

Advice on general occupational hygiene: Remove contaminated clothing and protective equipment before entering eating areas. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions : Store in tightly-closed, original container. Store upright in a cool , safe place away from direct sunlight.

7.3. Specific end use(s)

Specific end use(s): As stated in Section 1.2.

8. Exposure controls/ Personal Protection

8.1. Control parameters

Occupational exposure limits

Sodium Hydroxide

Short term exposure limit (15 mins) WEL 2mg/m³

WEL = Workplace Exposure Limit

Sodium Hypochlorite

Chlorine vapour STEL 15min 0.5 ppm, 1.5 mg/m³

DNEL

Industry Inhalation. Long Term 1.55 mg/m³ Industry Inhalation. Short Term 3.1 mg/m³

Consumer Inhalation. Long Term 1.55 mg/m³ Consumer Inhalation. Short Term 3.1 mg/m³

Consumer Oral Long Term Systemic Effects 0.26 mg/kg/day

8.2. Exposure controls

Appropriate engineering

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Protective gloves should be used if there is a risk of direct contact or splash. Neoprene, nitrile, polyethylene or PVC. EN 388

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

When using do not eat, drink or smoke. Wash hands thoroughly after handling. Wash at the end of each work shift and before

Liquid Power Sink & Drain Unblocker Safety Data Sheet

eating, smoking and using the toilet.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure controls

Keep container tightly sealed when not in use. Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|--|---|
| Appearance: | Clear liquid. |
| Colour: | Colourless – pale straw yellow |
| Odour: | Characteristic Chlorine Odour. |
| Odour Threshold : | Not available. |
| pH: | 13.0 – 14.0 |
| Melting point : | ~0°C |
| Initial boiling point and range : | 102°C |
| Flash point: | Not available. |
| Evaporation rate: | Not available. |
| Evaporation factor: | Not available. |
| Flammability (solid, gas): | The product is not flammable. |
| Upper/lower flammability or explosive limits: | Not available. |
| Vapour pressure : | Not available. |
| Vapour density: | Not available. |
| Relative density: | 1.10-1.18 @ 20°C |
| Bulk density: | Not available. |
| Solubility(ies): | Soluble in water. |
| Partition coefficient : | Not available. |
| Auto-ignition temperature: | Not available. |
| Decomposition Temperature: | Not available. |
| Viscosity: | Not available. |
| Explosive properties: | Not considered to be explosive. |
| Oxidising properties: | Does not meet the criteria for classification as oxidising. |

9.2 Other Information

Other Information : No information required

10. Stability and Reactivity

10.1. Reactivity

See the other subsections of this section for further details.

10.2. Chemical stability

Stability: Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

If the solution is acidified free chlorine will be evolved .

10.4. Conditions to avoid

Store in a cool dry place away from direct sunlight .

**Liquid Power Sink & Drain Unblocker
Safety Data Sheet**

10.5. Incompatible materials

Materials to avoid: Strong acids. Contact with strong acids liberates toxic chlorine gas. Decomposition with evolution of oxygen is accelerated by heat and light and also by contact with metals, particularly copper, nickel and iron

10.6. Hazardous decomposition products

Chlorine compounds.

11. Toxicological Information

11.1. Information on toxicological effects

Acute toxicity - oral

Based on available data the classification criteria are not met.

Acute toxicity - dermal

Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data

Causes severe skin burns and eye damage.

Serious eye damage/ irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data the classification criteria are not met.

Skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility

Based on available data the classification criteria are not met.

Reproductive toxicity - development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure

Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**Liquid Power Sink & Drain Unblocker
Safety Data Sheet**

STOT - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

Toxicological information on ingredients.

Sodium Hypochlorite

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg) > 1100 mg/kg (Rat; Test substance: Chlorine) (OECD Test Guideline 401) Based on raw material suppliers' information

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD50 mg/kg) > 20000 mg/kg (Rabbit; Test substance: Chlorine) (OECD Test Guideline 402) Based on raw material suppliers' information the classification criteria are not met.

Species Rabbit

Skin Corrosion/Irritation: Corrosive

Respiratory or skin sensitisation: Not Sensitising.

Germ cell mutagenicity: This substance has no evidence of mutagenic properties.

Carcinogenicity: This substance has no evidence of carcinogenic properties.

Inhalation: Mist/droplets are corrosive to the respiratory tract, and will cause a burning sensation in the throat, cough coughing and breathing difficulties.

Ingestion: If ingested will cause severe damage to gastrointestinal tract.

Skin contact: Causes burns. Prolonged or repeated contact may cause dermatitis

Eye contact: Risk of serious damage to eyes. Risk of corneal damage.

Sodium Hydroxide

General information : Strong corrosive action on all body tissue, causing burns and frequently deep ulceration, with ultimate scarring.

Inhalation: Mist/droplets are corrosive to the respiratory tract, and will cause a burning sensation in the throat, coughing and breathing difficulties. Pulmonary oedema (excessive liquid in lungs) can occur after inhalation of higher amounts.

Ingestion: If ingested will cause severe damage to gastrointestinal tract. Can cause perforation and scarring.

Skin contact: Corrosive to body tissue, causing burns, deep ulceration, and scarring. Frequent contact with lower concentrations may cause eczema.

Eye contact: Vapour or spray may cause eye damage, impaired sight or blindness.

Based on raw material supplier's information

Alcohols,C12-14,ethoxylated,sulfates, sodium salts

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg) >2000 mg/kg Based on available data the classification criteria are not met

Species Rat

**Liquid Power Sink & Drain Unblocker
Safety Data Sheet**

Acute toxicity - dermal

Acute toxicity dermal (LD50 mg/kg) >2000 mg/kg Based on available data the classification criteria are not met

Species Rat

Skin Corrosion/Irritation

Animal Data Dose 0.5g, 4hrs Rabbit Erythema/ eschar score. Moderate to severe erythema (3).

Oedema score Moderate oedema- raise approximately 1mm (3). REACH dossier information. Irritating

Serious Eye damage/ irritation Causes serious eyes damage

Skin Sensitisation Guinea pig maximization text (GPMT) – Guinea Pig: Not Sensitising REACH dossier information. Based on available data the classification criteria are not met

Germ Cell mutagenicity Gene mutation: Negative .REACH dossier information. Based on available data the classification criteria are not met

Reproductive toxicity

Reproductive toxicity – fertility

Two generation study – NOAEL >300mg/kg/day, Oral, Rat P, F1. REACH dossier information.

Reproductive toxicity – development

Development toxicity – NOAEL >1000mg/kg/day, Oral, Rat. REACH dossier information.

Specific Target Organ Toxicity – Repeated exposure

STOT – repeated exposure NOAEL >225mg/kg/day, Oral, Rat

C14 Dimethylamine Oxide

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg) 200-2000 mg/kg Based on raw material suppliers' information

Species Rat

12. Ecological Information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Large or frequent spills may have an adverse effect on the environment

Ecological information on ingredients.

Sodium Hypochlorite

| | | |
|---------|-------------|-----------------------------|
| Fish | LC50, 96Hrs | 0.06 mg/l (Salmo gairdneri) |
| Daphnia | EC50, 48Hrs | 0.141 mg/l |
| Alga | IC50, 72Hrs | Technically unfeasible |

Acute Toxicity - Microorganisms
LOEC 0.375 mg/l Activated sludge

Sodium Hydroxide

| | | |
|------|---------------|----------|
| Fish | LC 50, 96 Hrs | 45.4mg/l |
|------|---------------|----------|

Alcohols,C12-14,ethoxylated,sulfates, sodium salts

| | | |
|------|------|----------|
| Fish | CL50 | 7.1 mg/l |
|------|------|----------|

C14 Dimethylamine Oxide

| | | |
|--|-------------|--------------|
| Daphnia | EC50, 48Hrs | 0.1-1.0 mg/l |
| Rainbow Trout (Oncorhynchus mykiss) | LC50, 96Hrs | 0.1-1.0mg/l |

12.2. Persistence and degradability

Liquid Power Sink & Drain Unblocker Safety Data Sheet

Persistence and degradability

The surfactant(s) contained in this product complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Ecological information on ingredients.

Sodium Hypochlorite

Persistence and degradability The product quickly decomposes in water or soil

Alcohols,C12-14,ethoxylated,sulfates, sodium salts

Persistence and degradability The product is readily biodegradable **Biodegradation** Water – Degradation 100% - 28 days

C14 Dimethylamine Oxide

12.3. Bioaccumulative potential

Product is not expected to bioaccumulate

Ecological information on ingredients.

Sodium Hypochlorite

The product will not bio-accumulate

Alcohols,C12-14,ethoxylated,sulfates, sodium salts

No data available on bioaccumulation **Partition coefficient** log Pow: 0.3

C14 Dimethylamine Oxide

Bioaccumulative potential: Bioaccumulation potential . No further information from supplier

12.4 Mobility in soil

The product is soluble in water

Ecological information on ingredients.

Sodium Hypochlorite

The product is soluble in water

Alcohols,C12-14,ethoxylated,sulfates, sodium salts

Mobility The product is soluble in water. Surface tension 33mN/m @ 25°C

C14 Dimethylamine Oxide

The product readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB

12.6 Other adverse effects

None known

13. Disposal Considerations

13.1. Waste treatment methods

Liquid Power Sink & Drain Unblocker Safety Data Sheet

General information

Disposal methods : Dispose of contents/container in accordance with national regulations

14. Transport Information

General. LIMITED QUANTITIES for ADR/RID/IMDG (Not assessed for transportation via air (ICAO/IATA) under limited quantities).

14.1. **UN number :** 1791

14.2. **UN proper shipping name:** HYPOCHLORITE SOLUTION.

14.3. **Transport hazard class(es):** Class 8: Corrosive substances

14.4. **Packing group:** III

14.5. **Environmental hazards:**

Environmentally hazardous substance/marine pollutant: No.

14.6. **Special precautions for user:** EmS F-A, S-B; Tunnel restriction code (E)

14.7. **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code :** Not applicable.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EH40/2005 Workplace exposure limits. The Chemical (Hazard Information and Packaging for Supply) Regulation 2009 (SI 2009 No. 716)

EU legislation

- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
- Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents.

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

16. Other Information

Revision Comments: Update Transport Information

Revision Date 29.06.2021

Revision 06

Hazard Statements In Full

H290 May be corrosive to metals
H314 Causes severe burns and eye damage
H315 Causes skin irritation
H318 Causes serious eye damage
EUH031 Contact with acid liberates a toxic gas
H400 Very toxic to aquatic life
H411 Toxic to aquatic life with long-lasting effects
H412 Harmful to aquatic life with long-lasting effects

Disclaimer

The information contained in this data sheet is, to the best of our knowledge and belief, accurate and is based upon our technical knowledge of the product and the date of issue. No warranty or representation, express or implied, is made as to its accuracy, reliability or completeness. MPM Consumer Products Ltd will not be responsible for any damage or injury resulting from any inherent hazard of the material, the abnormal use of the material or from failure to adhere to recommendation